


neutrik > [NC5MXX](#)



NC5MXX

5 pole male cable connector with Nickel housing and silver contacts.

The next generation of the worldwide accepted standard of XLR cable connectors. The successor of the X series offers several new features which make it more reliable, easier to assemble and improves contact integrity as well cable strain relief.



Allgemeintoleranzen ISO 2768-m	Werkstoff KEIN_MAT -	Massstab: 2:1 (A4)		Datum	Name
Zeichnung urheberrechtlich geschuetzt (DIN 34) (C)			Gezeichnet	06.12.05	jutz b
			Freigegeben	-	-
			Geaendert	17.04.07	jutz b
Benennung XX-Serie NX5MXX			Aend.-Nr. -		Aend.-Index B
			Ersatz fuer:		Blatt 1 von 1 Bl.
			Zeichn. Nr. ST-NC5MXX		
NEUTRIK AG FL-9494 SCHAAN					

Certificate of Compliance

Certificate Number 20100108-E135070
Report Reference E135070, 1997 September 18
Issue Date 2010 January 8

Page 1 of 2



**Underwriters
Laboratories Inc.®**

Issued to: **NEUTRIK AG**
IM ALTEN RIET 143 SCHAAN
9494 LIECHTENSTEIN

*This is to certify that
representative samples of* **CONNECTORS FOR USE IN DATA, SIGNAL,
CONTROL AND POWER APPLICATIONS.**
See Addendum Page

*Have been investigated by Underwriters Laboratories Inc.® (UL) or any authorized
licensee of UL in accordance with the Standard(s) indicated on this Certificate.*

Standard(s) for Safety: **UL 1977 - STANDARD FOR COMPONENT CONNECTORS FOR USE IN
DATA, SIGNAL, CONTROL AND POWER APPLICATIONS - Edition 2**

Additional Information: **See UL On-Line Certification Directory at www.UL.com for additional
information**

**Only those products bearing the UL Recognized Component Mark should be
considered as being covered by UL's Recognition and Follow-Up Service.**

The UL Recognized Component Mark generally consists of the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory. As a supplementary means of identifying products that have been produced under UL's Component Recognition Program, UL's Recognized Component Mark:  may be used in conjunction with the required Recognized Marks. The Recognized Component Mark is required when specified in the UL Directory preceeding the recognitions or under "Markings" for the individual recognitions.

Look for the UL Recognized Component Mark on the product

William R. Carney

Director, North American Certification Programs
Underwriters Laboratories Inc.

Certificate of Compliance

Certificate Number 20100108-E135070
Report Reference E135070, 1997 September 18
Issue Date 2010 January 8

Page 2 of 2



**Underwriters
Laboratories Inc.®**

This is to verify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Component Connectors, Series DL, Series DLX, Series RX, Series XX and Series X, Cat. Nos. with prefix NC followed by 3, 4, 5, 6 or 7 followed by F or M, may be followed by S, followed by D for DL series or D-LX for DLX series or followed by X for X series or XX for XX series or followed by RX for RX series, may be followed by -M3, -H, -V, -AU, -B, -BAG, -HE, -HA, -L-1 or -O. For RX, X and XX series only: -HD, -14, -CRYSTAL or -SPEC.

William R. Carney

Director, North American Certification Programs
Underwriters Laboratories Inc.