



REAN a brand of NEUTRIK
REAN®



REAN > [RC5M](#)




RC5M


5 pole male cable connector with Nickel housing and silver contacts.

The next generation of the worldwide accepted standard of XLR cable connectors.

The successor of the X series offers several new features which make it more reliable, easier to assemble and improves contact integrity as well cable strain relief.



REAN®



1. All dimensions in mm.
2. Tolerances not specified is $\pm 0.20\text{mm}$.

[illegible]



REAN a brand of NEUTRIK
REAN®



Technical Information

Product	
Title	RC5M
Connection Type	XLR
Gender	male
Electrical	
Insulation Resistance	>1.5 GΩ
Contact Resistance	≤ 5 mΩ
Rated Current	10 A
Mechanical	
Lifetime	>1000 Mating Cycles
Insertion Force	≤ 30 N
Withdrawal Force	≤ 20 N
Cable O.D.	4 - 7 mm
Wiresize	1.5 mm ²
Wiresize	16 AWG
Material	



REAN a brand of NEUTRIK
REAN®



Housing	Zinc
Pin	Brass
Male Insert	PA6+30%GF
Ground Contact	Bronze
Chuck	POM
Bushing	PA6+30%GF
Push Ring	POM
Boot	PVC
Housing	Nickel Plating
Pin	Sliver Plating
Ground Contact	Tin and Cer