

EN

PCE

Connection
to the future



TAURUS²
Der Schutzkontaktstecker

MADE IN AUSTRIA



**ROBUST
RELIABLE
VERSATILE**



100%
MADE IN AUSTRIA



Taurus
2002 – 2019

The TAURUS safety plug and connector series from PCE has stood for robustness and reliability since 2002. Used millions of times, this successful product family now passes on its strong genes to the next generation. The new **TAURUS²** impresses with its modern design and extraordinary versatility. The functional design guarantees simple and fast assembly and unbeatable user-friendliness.



Modern, slim and ergonomic **design**

Optimized grip area - perfect grip for safe plugging and pulling

Robust rubber housing (TPE)



Proven contact carriers

- PA6 (rubber version)
- TPE (solid rubber version)

Optimum **cable entry** with **bend protection** (membrane seal)

Reinforcing ring (extends the life span of the cable entry)

STRONG

TAURUS [lat.] - THE BULL



2x8

COLOR VARIATIONS

Standard version
housing black / ring red



special colors **ring**



special colors **housing**



QUALITY IN EVERY DETAIL

...manufactured according to international standards

contact carrier
rubber (TPE)

(solid rubber version)



QUICK AND EASY ASSEMBLY

- ✓ easy disassembly of housing
- ✓ large connection area
- ✓ simple mounting of the contact carriers
- ✓ internal strain relief
- ✓ easy to use cable clamp elements (open screws)
- ✓ all contact screws can be adjusted from a single direction



Plug IP54




0522-sr

Safety plugs Series TAURUS²

- rubber version (housing TPE, contact carriers PA6) or
- solid rubber version (housing TPE, contact carriers TPE)
- Austrian/German system or dual earthing system
- standard color: housing black (similar to RAL9005) / ring red (similar to RAL3000)
- protection class: **IP54** splashproof



Safety plug: Austrian/German system IP54




Version	Rubber	Solid rubber
Contact carriers	polyamide (PA6)	rubber (TPE)
Austrian/German	0511-sr	0512-sr



pack. unit=30 pcs.



Safety plug: dual earthing system IP54



Version	Rubber	Solid rubber
Contact carriers	polyamide (PA6)	rubber (TPE)
dual earthing system	0521-sr	0522-sr



pack. unit=30 pcs.



2520-sr


Connector IP20

Safety connectors Series TAURUS²

- rubber version (housing TPE, contact carriers PA6) or
- solid rubber version (housing TPE, contact carriers TPE)
- Austrian/German or French/Belgian system
- with or without shutter
- standard color: housing black (similar to RAL9005) / ring red (similar to RAL3000)
- Protection class: **IP20**



Safety connector: Austrian/German system IP20




Version	Rubber	Solid rubber
Contact carriers	polyamide (PA6)	rubber (TPE)
Austrian/German	2510-sr	2520-sr
Austrian/German with shutter	2510-src	–



pack. unit=20 pcs.



Safety connector: French/Belgian system IP20



Version	Rubber	Solid rubber
Contact carriers	polyamide (PA6)	rubber (TPE)
French/Belgian	2410-sr	–
French/Belgian with shutter	 2410-src	–

pack. unit=20 pcs.

Connector IP54


with cap

- Safety connectors Series TAURUS2
- rubber version (housing TPE, contact carriers PA6) or
 - solid rubber version (housing TPE, contact carriers TPE)
 - Austrian/German or French/Belgian system
 - with or without shutter
 - with cap and band
 - standard color: housing black (similar to RAL9005) / ring and cap red (similar to RAL3000)
 - Protection class: **IP54** splashproof



Safety connector: Austrian/German system IP54

with cap



Version	Rubber	Solid rubber
Contact carriers	polyamide (PA6)	rubber (TPE)
Austrian/German	2511-sr	2521-sr
Austrian/German with shutter	2511-src	–




pack. unit=20 pcs.



Safety connector: French/Belgian system IP54

with cap



Version	Rubber	Solid rubber
Contact carriers	polyamide (PA6)	rubber (TPE)
French/Belgian	2411-sr	–
French/Belgian with shutter	 2411-src	–



pack. unit=20 pcs.




Connector IP54 with hinged lid

Safety connectors Series TAURUS²

- rubber version (housing TPE, contact carriers PA6) or
- solid rubber version (housing TPE, contact carriers TPE)
- Austrian/German or French/Belgian system
- with or without shutter
- with hinged lid
- standard color: housing black (similar to RAL9005) / ring and hinged lid red (similar to RAL3000)
- Protection class: **IP54** splashproof



Safety connector: Austrian/German system IP54 with hinged lid




Version	Rubber	Solid rubber
Contact carriers	polyamide (PA6)	rubber (TPE)
Austrian/German	2512-sr	2522-sr
Austrian/German with shutter	2512-src	–



pack. unit=20 pcs.



Safety connector: French/Belgian system IP54 with hinged lid



Version	Rubber	Solid rubber
Contact carriers	polyamide (PA6)	rubber (TPE)
French/Belgian	2412-srww	–
French/Belgian with shutter	2412-srcww	–



pack. unit=20 pcs.

Special colors ring (MOQ: 200 pcs.)



Plug IP54	black (RAL9005)	orange (RAL2011)	yellow (RAL1023)	green (RAL6018)	blue (RAL5017)	white (RAL9016)	dark gray (RAL7046)
Austrian/German rubber	0511-ss	0511-so	0511-se	0511-shu	0511-sb	0511-sw	0511-sdg
Austrian/German solid rubber	0512-ss	0512-so	0512-se	0512-shu	0512-sb	0512-sw	0512-sdg
dual earthing system rubber	0521-ss	0521-so	0521-se	0521-shu	0521-sb	0521-sw	0521-sdg
dual earthing system solid rubber	0522-ss	0522-so	0522-se	0522-shu	0522-sb	0522-sw	0522-sdg



Connector IP20	black (RAL9005)	orange (RAL2011)	yellow (RAL1023)	green (RAL6018)	blue (RAL5017)	white (RAL9016)	dark gray (RAL7046)
Austrian/German rubber	2510-ss	2510-so	2510-se	2510-shu	2510-sb	2510-sw	2510-sdg
Austrian/German rubber with shutter	2510-ssc	2510-soc	2510-sec	2510-shuc	2510-sbc	2510-swc	2510-sdgc
Austrian/German solid rubber	2520-ss	2520-so	2520-se	2520-shu	2520-sb	2520-sw	2520-sdg
French/Belgian rubber	2410-ss	2410-so	2410-se	2410-shu	2410-sb	2410-sw	2410-sdg
French/Belgian rubber with shutter	2410-ssc	2410-soc	2410-sec	2410-shuc	2410-sbc	2410-swc	2410-sdgc



Connector with cap IP54	black (RAL9005)	orange (RAL2011)	yellow (RAL1023)	green (RAL6018)	blue (RAL5017)	white (RAL9016)	dark gray (RAL7046)
Austrian/German rubber	2511-ss	2511-so	2511-se	2511-shu	2511-sb	2511-sw	2511-sdg
Austrian/German rubber with shutter	2511-ssc	2511-soc	2511-sec	2511-shuc	2511-sbc	2511-swc	2511-sdgc
Austrian/German solid rubber	2521-ss	2521-so	2521-se	2521-shu	2521-sb	2521-sw	2521-sdg
French/Belgian rubber	2411-ss	2411-so	2411-se	2411-shu	2411-sb	2411-sw	2411-sdg
French/Belgian rubber with shutter	2411-ssc	2411-soc	2411-sec	2411-shuc	2411-sbc	2411-swc	2411-sdgc



Connector with hinged lid IP54	black (RAL9005)	orange (RAL2011)	yellow (RAL1023)	green (RAL6018)	blue (RAL5017)	white (RAL9016)	dark gray (RAL7046)
Austrian/German rubber	2512-ss	2512-so	2512-se	2512-shu	2512-sb	2512-sw	2512-sdg
Austrian/German rubber with shutter	2512-ssc	2512-soc	2512-sec	2512-shuc	2512-sbc	2512-swc	2512-sdgc
Austrian/German solid rubber	2522-ss	2522-so	2522-se	2522-shu	2522-sb	2522-sw	2522-sdg
French/Belgian rubber	2412-ssw	2412-sow	2412-sew	2412-shuw	2412-sbw	2412-sww	2412-sdgw
French/Belgian rubber with shutter	2412-sscw	2412-socw	2412-secw	2412-shucw	2412-sbcw	2412-swcw	2412-sdgcw

(RAL-colors similar)

TAURUS ² Technical data	Terminal cross section (mm ²)	Cable diameter (mm)	Dismantling length (mm)	Stripping length (mm)	Torques (Ncm)		
					Contact screw	Strain relief	Connecting screw
plugs	0,75 – 2,5	6 – 13	30	7	80	110	110
connectors	1 – 2,5	6 – 13	30	7	80	110	110

Special colors housing (MOQ: 500 pcs.)



Plug IP54	red (RAL3013)	orange (RAL2011)	yellow (RAL1023)	green (RAL6018)	blue (RAL5017)	light gray (RAL7035)	anthracite (RAL7016)
Austrian/German rubber	0511-rs	0511-os	0511-es	0511-us	0511-bs	0511-gs	0511-as
Austrian/German solid rubber	0512-rs	0512-os	0512-es	0512-us	0512-bs	0512-gs	0512-as
dual earthing system rubber	0521-rs	0521-os	0521-es	0521-us	0521-bs	0521-gs	0521-as
dual earthing system solid rubber	0522-rs	0522-os	0522-es	0522-us	0522-bs	0522-gs	0522-as



Connector IP20	red (RAL3013)	orange (RAL2011)	yellow (RAL1023)	green (RAL6018)	blue (RAL5017)	light gray (RAL7035)	anthracite (RAL7016)
Austrian/German rubber	2510-rs	2510-os	2510-es	2510-us	2510-bs	2510-gs	2510-as
Austrian/German rubber with shutter	2510-rsc	2510-osc	2510-esc	2510-usc	2510-bsc	2510-gsc	2510-asc
Austrian/German solid rubber	2520-rs	2520-os	2520-es	2520-us	2520-bs	2520-gs	2520-as
French/Belgian rubber	2410-rs	2410-os	2410-es	2410-us	2410-bs	2410-gs	2410-as
French/Belgian rubber with shutter	2410-rsc	2410-osc	2410-esc	2410-usc	2410-bsc	2410-gsc	2410-asc



Connector with cap IP54	red (RAL3013)	orange (RAL2011)	yellow (RAL1023)	green (RAL6018)	blue (RAL5017)	light gray (RAL7035)	anthracite (RAL7016)
Austrian/German rubber	2511-rs	2511-os	2511-es	2511-us	2511-bs	2511-gs	2511-as
Austrian/German rubber with shutter	2511-rsc	2511-osc	2511-esc	2511-usc	2511-bsc	2511-gsc	2511-asc
Austrian/German solid rubber	2521-rs	2521-os	2521-es	2521-us	2521-bs	2521-gs	2521-as
French/Belgian rubber	2411-rs	2411-os	2411-es	2411-us	2411-bs	2411-gs	2411-as
French/Belgian rubber with shutter	2411-rsc	2411-osc	2411-esc	2411-usc	2411-bsc	2411-gsc	2411-asc



Connector with hinged lid IP54	red (RAL3013)	orange (RAL2011)	yellow (RAL1023)	green (RAL6018)	blue (RAL5017)	light gray (RAL7035)	anthracite (RAL7016)
Austrian/German rubber	2512-rs	2512-os	2512-es	2512-us	2512-bs	2512-gs	2512-as
Austrian/German rubber with shutter	2512-rsc	2512-osc	2512-esc	2512-usc	2512-bsc	2512-gsc	2512-asc
Austrian/German solid rubber	2522-rs	2522-os	2522-es	2522-us	2522-bs	2522-gs	2522-as
French/Belgian rubber	2412-rsw	2412-osw	2412-esw	2412-usw	2412-bsw	2412-gsw	2412-asw
French/Belgian rubber with shutter	2412-rscw	2412-oscw	2412-escw	2412-uscw	2412-bscw	2412-gscw	2412-ascw

(RAL-colors similar)





100%
MADE IN AUSTRIA

Connection to the future

PC Electric GmbH



Industrial
plugs and sockets



Safety
plugs and sockets



Distribution
boxes



Cable reels



Electrical
safety devices

PCE

Connection
to the future



www.pcelectric.com

PC Electric GesmbH

Diesseits 145

4973 St. Martin im Innkreis

AUSTRIA

TEL +43 7751 61220

FAX +43 7751 6969

office@pcelectric.at

098372

Vers. 09/2021

No guarantee for technical changes
or printing errors!

