

Cableados y Conexiones S.L.

CABLE UTP CAT6A RJ45 Macho-Macho XX metros OUTDOOR EXTERIOR NEGRO AWG24 500Mhz

Ref. C610AxxN-EXT

Operating temperature from -40 °C
Operating temperature up to 75 °C

Disponible en: 10m, 15m, 20m. 30m, 40m, 50m, 60m, 75m.

- High-quality copper conductor (CU) and gold-plated contacts guarantee an excellent, powerful network connection.
- CAT 6/6A outdoor cable is suitable for Gigabit Ethernet with speeds of up to 10/100/1000 Mbit/s

Con protector de pestaña
Protector de clip



Extra length
for outdoor use



CAT 6A Network Cable
UV and water-resistant



Safely Wrapped


for an optimal internet connection




For Outdoor Laying
highly weatherproof




Cableados y Conexiones S.L.



Aderquerschnitt / Wire cross section




Anschlussdiagramm / Wiring diagram



CAT 6 Outdoor patch cable U/UTP

- unshielded LAN/network cable to connect network components with 2 RJ45 connectors
 - UV- and water resistant
 - double outer jacket (PE)
 - with strain relief and latch protection
 - suitable for 10/100/1000 Mbit-networks
 - pair-sequence acc. to EIA/TIA 568B
-
- | | |
|--------------------------|------------------------------------|
| - Housing material: | 85A PVC, black |
| - Connectors: | 2x RJ45 plug (8P8C),
unshielded |
| - Contacts: | gold plated PINs |
| - AWG: | 24/1 (solid) |
| - Cable material: | PVC, PE |
| - Outer diameter: | 6.0 ± 0.2 mm |
| - Signal transmission: | 250 MHz |
| - Operating temperature: | -40°C - +75°C |



Cableados y Conexiones S.L.

Connections

Connection, shielding	no
Connection, type	RJ45 male (8P8C)
Connection 2, type	RJ45 male (8P8C)
Latch protection	both sides
Contacting	EIA/TIA-568 B
Kink protection	both sides

Cable

Specification	CAT 6A
Shielding class	U/UTP
bending radius >	55 mm
Cable type	outdoor cable
Cable length	75 m
Inner conductor material	CU (copper)
Material cable sheath	PE
Cable sheath diameter (approx.)	6 mm
AWG	24/1 (solid)

Signal transmission

max. bandwidth	500 MHz
----------------	---------

General

Color	black
Markings	WEEE, CE
Operating temperature from	-40 °C
Operating temperature up to	75 °C
Packaging type	Bulk

CAT 6A Network Cable

UV and water-resistant



Suitable for
outdoor use



Double cable
sheath




RJ45 plugs



Max. bandwidth
500 MHz

Extra length for outdoor use





Cableados y Conexiones S.L.



Caycon

© 2025 Cableados y Conexiones S.L.
C/ Ciudad de Frías nº25 Nave 8 28021 Madrid ESPAÑA (Spain)
Tfno: 91 428 00 36 - 91 471 54 32
info@caycon.es <http://www.caycon.es>